







STONE IS THE REAL DEAL The range of options available in today's market for floor and wall surfaces is endless, but natural stone is the real deal. There are many manmade pretenders, but natural stone is recognised all around the world as the material of choice in high quality residential and commercial projects due to its unique beauty and the timelessness, quality and prestige that a surface in natural stone conveys.

> Most of the worlds iconic buildings and wonders of the world will incorporate natural stone that remain key components of their longevity, charm and individuality.

The portfolio of stones available from Strata [part of the Stone Age Group of companies], have been carefully selected to give our clients a range of finishes and textures to complement many different styles and tastes, and to put their own personal signature on their home, or project, whether it be for interior or exterior application. Our portfolio is different because we combine the Group Chief Executive

manufacturing processes available with 21st century technology with our team of stone masons, who work the surfaces and edges of some of our products in our Heritage collection to create more authentic products indicative of many regions around the UK and their unique characteristics.


In addition we are able to offer a complete customised service for clients where we can develop intricate shapes and textures or inlay stone with other materials such as wood, metal, glass or ceramic.

I hope this brief introduction to our collections is helpful in outlining a few of the options available from our distribution centre in Ipswich, and if we can be of any further assistance in your selection process please do not hesitate to contact our team.

Sanjeev Agrawal

WHO ARE WE? Strata is part of the Stoneage Group of companies. We manage and extract a selection of Indian sandstones. limestones and marbles from our own quarries and from those of strategic partners. The international selection of natural stone materials available from Strata means that we also use our expertise and experience to select only the finest material from other quarries around the world.

As quarryers and manufacturers of many of the natural stones in our interiors portfolio, it is our deep understanding of the raw material which will remain the core of the selection process we use to collate the natural stones that form part of Strata Interiors. All natural stone sourced is from sustainable and ethical operators, and comply with European CE standards, and US ASTM criteria.





WHY IS THIS IMPORTANT? The majority of the non-indigenous

natural stone supplied is offered to the UK market through wholesalers. At Strata we offer our clients the confidence that emanates from knowing we are the source for the raw material and manufacturer of the majority of the products that we offer. This guarantees our products are manufactured to the highest standards, in accordance with the harmonised European standards for manufacturing compliance and material sourcing, and is embraced by the CE mark as standard

on our products. Strata customers can be assured that our stone is sourced from quarries that are fully compliant with ethical trading standards, in line with our processing operations. This is validated by the fact that all our documentation, procedures and practises are independently audited and comply with ISO9001:2008 and SA8000:2008, by TUV Rheinland, a leading international body for the certification of safety and quality in products, processes and management



STRATA INTERIORS

STRATA INTERIORS

OPERATIONS Our factories incorporate machinery that enable us to manufacture a variety of finishes and textures, from the traditional to the very contemporary in styles. Using CNC and water jet cutting technology we can also offer our clients custom solutions to meet the specifics of any project.







be achieved. Some examples of these are highlighted below, but if you are looking for something unique let us know, and our Design and Technology



QUALITY ASSURANCE Quality is paramount, so we ensure that

only the best quality rock is selected for use in the manufacture of Strata products. This means that our customers receive floor and wall products that are manufactured from the best quality sandstone, limestone and marbles and are checked at each key stage of the manufacturing process. All our products comply with the CE mark.









MATERIALS

LIMESTONE

by the consolidation of sediments, seashells and other organic matter, and is a popular material for interior natural stones. Each Limestone have specific characteristic colours and marketing reflecting their unique quarry of origin. and so care should be taken to use the correct products when cleaning.

SANDSTONE

Sandstone is a coarse-grained

compressed sand deposited by water Limestone is a sedimentary rock formed or wind. This is available in a variety of finishes, and is often suitable for a hard but porous stone that, if being sealed, requires thorough impregnation

MARBLE PORCELAIN BACKED


Marble porcelain backed tile is an alternative to solid stone tile. It is real marble with porcelain bonded onto the back side of the tile. Tiles come 12mm

- Can be used in more environments than full body stone
- Tile weighs 50% less than the
- Easier to install
- Less transport costs
- Considerably more cost effective

STRATA INTERIORS **OUR COLLECTIONS**

Interior Collections

- 06 HERITAGE
- 46 AVANTGARDE
- 58 COSMOPOLITAN





COSMOPOLITAN





HERITAGE

Collection

ur collection brings together a portfolio of new natural stones that have been processed and shaped to give finishes, colour tones and textures that mimic many time worn traditional stone tiles and slabs found across homes and buildings of significance in the Uk

CREMA G ANTIQUE



LIMESTONE





CREMA G ANTIQUE

FINISH Tumbled **EDGE**Cushioned


VARIATIONS Low to Medium **SIZES**600 X 400 X 13 mm
900 X 600 X 16 mm
OPUS X 13 mm

USE & SUITABILITY

Interior flooring walling

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



LIMESTONE







FINISH Tumbled and

EDGECushioned

VARIATIONS Low to Medium **SIZES** 500 X FL X 15 mm 600 X 400 X 13 mm

limestone

USE & SUITABILITY

Interior flooring

NOTE

Sanded

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

YOU SHOULD KNOW

The light biscuit tones of crema G are softened by lightly texturing the surface to give a satin effect.





WHARFDALE



LIMESTONE





WHARFDALE

FINISH Limestone **EDGE** Antique **VARIATIONS** Medium

SIZES 500 X FL X 18 mm **USE & SUITABILITY**



Interior flooring

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

The warm and vibrant tones of Wharfdale limestone provide a chic surface finish often found in houses portraying a mediterranean or country house style.



PROVENCE

LIMESTONE









PROVENCE

FINISH Tumbled and Brushed

EDGE Cushioned **VARIATIONS** Low to Medium

SIZES 400 X FL X 18 mm

500 X FL X 18 mm

USE & SUITABILITY



Interior flooring

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

YOU SHOULD KNOW

The subtle light yellow/ orange tones of Provence takes its inspiration from traditional French limestone often found in the chateaus of Montpellier $\,$ and Avignon. Created using hand chisel techniques combined with tumbling and brushing, this creates a lightly textured finished with cushioned edges common with many of the materials found in this region. in this region.





HERITAGE

TULLIERS



LIMESTONE





TULLIERS

FINISH Tumbled

EDGE Cushioned **VARIATIONS** Medium

SIZES 400 X FL X 22 mm 560 X 700 X 22 mm 560 X 840 X 22 mm

560 X FL X 22 mm

 \mathbf{R} Interior

USE & SUITABILITY

flooring

Exterior paving




All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

The beautiful earthy tones of Tulliers limestone convey a charm synonymous with the flagstones found in old country houses across the UK.



19

CEPES ANTIQUE









CEPES ANTIQUE

FINISH Tumbled **EDGE**Cushioned

VARIATIONS Low to Medium

400 X FL X 13 mm 600 X FL X 15 mm 600 X 400 X 13 mm 900 X 600 X 15 mm OPUS X 13 mm GRAND OPUS X 15 mm

SIZES

USE & SUITABILITY



Interior flooring

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.





CEPES SATINO









CEPES SATINO


FINISHSatino

EDGE Sawn VARIATIONS Low to Medium SIZES 400 X FL X 13 mm 600 X 400 X 13 mm 600 X FL X 15 mm OPUS X 13 mm **USE & SUITABILITY**

Interior flooring walling

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



HERITAGE

HERITAGE

BLENHEIM

SANDSTONE







BLENHEIM

FINISH Tmbled and Brushed

EDGE Cushioned

VARIATIONS

SIZES 500 X FL X 20 mm

Interior

flooring

Exterior paving

 \triangle

USE & SUITABILITY






All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

A sandstone that brings the interior and exterior spaces together, and where its subtle blend of cream and grey tones are tumbled, aged, polished and brushed to provide the authentic undulations of the natural stone often found in the Cotswolds. The riven surface of the material is "softened" through a variety of hand chiselling and tumbling/ polishing techniques employed during the production process.



FARMCOTE

SANDSTONE











EDGE Cushioned **VARIATIONS** Medium

SIZES 500 X FL X 20 mm **USE & SUITABILITY**

Interior flooring **Exterior** paving

FINISH Tumbled and


Brushed

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

YOU SHOULD KNOW

The autumn shades evident in the subtle colours of Farmcote are reminiscent of old traditional English flooring stones. The tumbling, hand texturing, and heavy brushing techniques employed to this sandstone creates the a finish that grinds down the natural riven texture of the material enabling a more even surface for use with interior and exterior furniture.





HEMBURY

SANDSTONE









YOU SHOULD KNOW

Hembury provides the brown and grey tones common with traditional English flagstones.







FINISH
Tumbled and
Sanded

EDGECushioned

VARIATIONSLow to Medium

SIZES 500 X FL X 20 mm **USE & SUITABILITY**

Interior flooring

Exterior paving

NOTE

All products calibrated to =/- 2mm thickness. Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

ABBEY HERITAGE HERITAGE





LIMESTONE



YOU SHOULD KNOW

A hard wearing yellow limestone that has been tumbled, brushed and polished to create the darker seasoned tones evident with aged materials, and a light textured finish that enables its use for interior and exterior application.





ABBEY

FINISH Tumbled and Brushed

EDGE Cushioned

VARIATIONS Low to Medium

SIZES 500 X FL X 20 mm **USE & SUITABILITY**


 \mathbf{R} Exterior

Interior flooring paving



All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request.











FINISH Tumbled **EDGE** Cushioned **VARIATIONS** Medium

SIZES 560 X 840 X 22 mm 560 X FL X 22 mm

USE & SUITABILITY

Interior flooring

R Exterior paving


NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

YOU SHOULD KNOW

This classic looking antiqued grey limestone is suitable for interior and exterior application and has a lightly textured surface, which creates the cottage style and feel with its delicate and subtle light copper coloured clouds that brings a warmth and richness to the floor or flooring surface.





HERITAGE

HERITAGE

DERWENT



LIMESTONE





DERWENT

TYPE Tumbled **EDGE** Cushioned **VARIATIONS** High

SIZES

USE & SUITABILITY GRAND OPUS X 20 mm

Interior flooring

R

Exterior paving




All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

A beautiful rustic grey limestone similar in texture and colour to the indigenous Purbeck stones extracted from the south west of England.



SEA GREY TUMBLED

LIMESTONE

MELLEA

LIMESTONE









SEA GREY TUMBLED

FINISH Tumbled

EDGE Cushioned **VARIATIONS** Low to Medium

SIZES 400 X FL X 20 mm **USE & SUITABILITY**



Interior

walling flooring

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

A popular hard waring grey limestone with light rustic tones.







FINISH Tumbled

EDGE Cushioned **VARIATIONS** Low to Medium

SIZES 600 X 400 X 15 mm 600 X 900 X 15 mm 600 X FL X 15 mm OPUSX 15 mm

USE & SUITABILITY




NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

LIMESTONE





The mid/ dark grey tones create a classic look and effect with its light chisel textured crevices and a polished surface that blends perfectly to produce a stone that can complement the desire for both traditional and contemporary styles







FINISHTumbled and
Brushed

EDGECushioned

VARIATIONS Low SIZES 500 X FL X 20 mm **USE & SUITABILITY**

Interior flooring

Exterior paving

NOT

All products calibrated to =/- 2mm thickness. Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.


MOORSIDE

LIMESTONE













FINISH Tumbled **EDGE**Cushioned

VARIATIONS Low SIZES 560 X FL X 20 mm

USE & SUITABILITY

Interior

Exterior paving

OTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



CASTLE



SANDSTONE





CASTLE

FINISH Tumbled and Brushed

EDGE Cushioned

Medium

VARIATIONS

SIZES 500 X FL X 20 mm

Interior

flooring


R Exterior

USE & SUITABILITY

paving


NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

A beautiful hardwearing sandstone suitable for use in the interior and exterior, the subtle grey/ black tones of castle draws is inspiration from the old flags and flooring found around the castles of Scotland and northern England. This vintage effect is created through an aging process that includes tumbling, waxing, brushing and polishing to create an authentic time worn effect indicative of the material often found in these regions.




BALKAN BLACK

LIMESTONE











FINISH Handcut Riven **EDGE** Sawn VARIATIONS Low

SIZES OPUS X 12 mm USE & SUITABILITY

Interior flooring

Exterior paving

NOT

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

HERITAGE

HERITAGE

CAWDOR NOIR

LIMESTONE







CAWDOR NOIR

FINISHTumbled and
Brushed

EDGECushioned

VARIATIONS Low SIZES 500 X FL X 20 mm **USE & SUITABILITY**



Interior flooring


NOTE


All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.



YOU SHOULD KNOW

A black limestone with a finish created using the techniques designed to give the look of timeworn stone, polished with the leather soles of years of foot traffic, and found around many old buildings and houses England, Scotland and Wales.







AVANTGARDE

Collection

or our clients that want something a little different, a selection of new finishes and stones colours that offer our clients natural stone tiles that are more unusual and offer a different look and style to the many traditional options for floor and wall surfaces

DUNE HONED AVANTGARDE AVANTGARDE

SANDSTONE







DUNE HONED sandstone

FINISH Honed

EDGE Sawn

VARIATIONS Medium

SIZES 300 X 75 X 15 mm **USE & SUITABILITY**




walling

flooring

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. ___ Contact our Customer Services for further information. FL = Free Length.





TAUPE

PORPHYRY









FINISH Tumbled **EDGE** Sawn **VARIATIONS**Low to Medium

SIZES 400 X FL X 15 mm

USE & SUITABILITY

Interior flooring walling



NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.





AVANTGARDE

QUARTZITE







SILVER GALACTICA BRUSHED quartzite

TYPESanded and
Brushed

EDGE Sawn **VARIATIONS**Low to Medium

SIZES 600 X 300 X 12 mm 600 X 600 X 12 mm

USE & SUITABILITY






IOIE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.

YOU SHOULD KNOW

A classy, metallic looking, hard wearing stone that provides a high slip resistance for external paving and internal wet areas.






AVANTGARDE

ALWICK









ALWICK

FINISH Sanded and Brushed

EDGE Sawn

VARIATIONS Medium to High

SIZES

600 X 300 X 12 mm 600 X 600 X 15 mm

Interior flooring

walling

R

USE & SUITABILITY

Exterior paving

NOTE

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.




YOU SHOULD KNOW

Alwick completes our family of quartzite materials, where the textured metallic effect created has an individuality unique to every application, but creates a rich dramatic effect on any floor or wall application.







YOU SHOULD KNOW

Galaxy is a hard wearing black quartzite with an a unique natural sparkle and glisten that creates nature's own personal signature.







GALAXY quartzite

FINISH
Flamed and
Brushed

EDGE Sawn **VARIATIONS**Low

NS SIZES

SIZES 600 X 300 X 12 mm 600 X 600 X 15 mm

Interior flooring walling Exterior paving

NOTE

All products calibrated to =/- 2mm thickness. Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.





COSMOPOLITAN

Collection

collection of stones with modern smooth surfaced material that are often found around the homes of Europe.

TAUPE E GRIGIO

HONED / POLISHED

MARBLE

COSMOPOLITAN







FINISH Honed / Polished **EDGE**

VARIATIONS Low to Medium

SIZES

600 X 300 X 12 mm 600 X 600 X 12 mm **USE & SUITABILITY**



Interior

walling flooring

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. Contact our Customer Services for further information. FL = Free Length.




YOU SHOULD KNOW

This stone is manufactured with a porcelain back to ease installation.



OYSTER SHELL

MARBLE



YOU SHOULD KNOW

An imported material from Oman with a porcelain back to enable more versatile use across wet and dry interior applications. This subtle beige marble with light brown veins creates the feel and tones often associated with English Portland limestone.





FINISH Honed / Polished **EDGE**


VARIATIONS Low to Medium

SIZES 600 X 300 X 12 mm 600 X 600 X 12 mm **USE & SUITABILITY**

Interior walling flooring







HONED / POLISHED

ORBETELLO

HONED / POLISHED

MARBLE







FINISHHoned / Polished

EDGE Sawn VARIATIONS Low to Medium

ONS dium SIZES 600 X 300 X 12

600 X 300 X 12 mm 600 X 400 X 12 mm 600 X 600 X 12 mm USE & SUITABILITY

Interior
walling
flooring

NOTE

All our Marble is Porcelain backed, please see page 4 for more information.



YOU SHOULD KNOW

This beautiful beige marble emanates from Tuscany and is manufactured with a porcelain back to allow for ease of installation and versatility of application.



LIMESTONE

HONED / POLISHED

COSMOPOLITAN

MARBLE









EDGE FINISH Honed / Polished


VARIATIONS Low to Medium

SIZES 600 X 300 X 10 mm 600 X 300 X 12 mm 600 X 400 X 12 mm 600 X 600 X 15 mm **USE & SUITABILITY**

Interior walling flooring

All products calibrated to =/- 2mm thickness Other sizes and thickness are available on request. — Contact our Customer Services for further information. FL = Free Length.





CARRARA

HONED / POLISHED

COSMOPOLITAN

MARBLE







FINISH Honed / Polished **EDGE**

VARIATIONS Low to Medium

SIZES

600 X 300 X 12 mm 600 X 600 X 12 mm **USE & SUITABILITY**



Interior walling flooring


NOTE

All our Marble is Porcelain backed, please see page 4 for more information.



YOU SHOULD KNOW

Bianco Carrara is a popular Italian white marble with delicate blue / grey veins, manufactured with a porcelain back to ease installation.



MARBLE

HONED / POLISHED

MARBLE



YOU SHOULD KNOW Tuscany Cream is the classic Spanish marble known as Cre

Spanish marble known as Crema Marfil. The soft tones of this porcelain backed marble has brown veins that add character and sophistication to any interior application.





FINISH Honed / Polished **EDGE** Sawn **VARIATIONS**Low to Medium

SIZES 600 X 300 X 12 mm 600 X 600 X 12 mm

USE & SUITABILITY



walling flooring



NOTE

— All our Marble is Porcelain backed, please see page 4 for more information.

GALACTIC GREY

HONED / POLISHED

COSMOPOLITAN





YOU SHOULD KNOW

A classic grey/brown marble with random white veins that emanates from Palermo in Italy, and manufactured with a porcelain back to ease installation.





FINISH Honed / Polished **EDGE**

VARIATIONS Low to Medium

SIZES 600 X 300 X 12 mm 600 X 600 X 12 mm **USE & SUITABILITY**

Interior

walling flooring




NERO MARQUINA



MARBLE





NERO MARQUINA

FINISHPolished

EDGE Sawn VARIATIONS Low to Medium **SIZES** 600 X 300 X 12 mm

600 X 600 X 12 mm

USE & SUITABILITY



Interior walling flooring


NOTE

All our Marble is Porcelain backed, please see page 4 for more information.



YOU SHOULD KNOW

This stone is manufactured with a porcelain back to ease installation.







WALL CLADDINGS & DECORATION

For Interior and Exterior Applications

METRO TILE WALL CLADDING & DECORATION WALL CLADDING & DECORATION

YOU SHOULD KNOW

kitchens or bathrooms

Metro tiles: the perfect accessory as a feature wall or splash back to





TYPE Limestone

FINISH Honed

VARIATIONS Medium

SIZES 195 X 95 X 10 mm **USE & SUITABILITY**

Interior walling






BIANCO CARRARA

TYPE Marble **FINISH** Polished

VARIATIONS Low to Medium

SIZES 195 X 95 X 10 mm **USE & SUITABILITY**





METRO TILE

LATITUDES







TYPE Sandstone

FINISH Honed

VARIATIONSMedium

SIZES 195 X 95 X 10 mm

USE & SUITABILITY



Interior walling





TULLIERS ANTIQUED

TYPELimestone

FINISHTumbled

VARIATIONSMedium

SIZES 195 X 95 X 10 mm

USE & SUITABILITY



Interior walling





MAYFAIR quartzite


TYPEQuartzite

FINISH Riven VARIATIONS Low to Medium **SIZES** 300 X 48 X 10 mm

USE & SUITABILITY

四 Interio

Interior walling



LATITUDES

MERIDIAN











CEPES SATINO

TYPE

Limestone

FINISH Satino

VARIATIONS Low to Medium

SIZES 600 X 10 X 13 mm **USE & SUITABILITY**

Interior







CEPES ANTIQUE

TYPE Limestone **FINISH** Tumbled **VARIATIONS** Low to Medium

SIZES 600 X 10 X 13 mm **USE & SUITABILITY**



Interior walling





TYPE Sandstone **FINISH** Riven

VARIATIONS Low

SIZES 600 X 150 X 10-30 mm **USE & SUITABILITY**

Interior walling

Exterior walling









COPPER SPLIT

TYPE Sandstone **FINISH**

VARIATIONS Medium

SIZES 600 X 150 X 10-30 mm

Interior

walling

Λ

USE & SUITABILITY

Exterior walling



GREY SPLIT

TYPE Sandstone **FINISH** Riven

VARIATIONS Medium

SIZES 600 X 150 X 10-30 mm


USE & SUITABILITY

Interior

walling

R

Exterior walling



MINT SPLIT

TYPE Sandstone **FINISH**

VARIATIONS Medium

SIZES 600 X 150 X 10-30 mm **USE & SUITABILITY**

Interior walling

Exterior walling



SILVER GREY SPLIT

TYPE Sandstone **FINISH** Riven

VARIATIONS Medium

SIZES 600 X 150 X 10-30 mm **USE & SUITABILITY**



M Exterior walling

MILLAU WALL CLADDING & DECORATION WALL CLADDING & DECORATION









TYPE Quartzite

FINISH Riven

VARIATIONS Medium

SIZES 600 X 100 X 10-18 mm

Interior

walling

A Exterior

USE & SUITABILITY

walling





TYPE

FINISH Rubbed

VARIATIONS Low

SIZES 600 X 100 X 10-18 mm

Interior

walling

R

USE & SUITABILITY

Exterior walling



STRATA INTERIORS


HINTS & TIPS FOR LAYING FLOOR TILES

- Natural stone tiles are all slightly different and it is perfectly normal to find a variance of colours, markings, thickness and textures. This is a natural feature of these types of material and means that every room is unique.
- Due to the nature of the manufacturing process, in some cases there can be a very slight 'bow' along the length of larger tiles (60cm or larger). If you are considering laying your tiles in an off-set "brick" pattern it is best to stagger the tile by only a third or less rather than by staggering by half a tile. This will minimise the effect of the bowing on the finished look.
- It is imortant to consider a balanced design and allows for manageable cuts. For example, if you are tiling a complete wall, allow for a similar size of cut tile in each corner as well as considering features such as windows - these should be centred in the design.

- The layout of your tiles will affect the finished look enormously so it is worth some thought ahead of buying your tiles. You can stagger joins, or set tiles diagonally for a diamond-effect pattern, or use inlay designs for a strong pattern. Whichever you choose, tiles are laid in the same way; just adjust the start position accordingly.
- Do not plan to leave small slivers at corners as they are difficult to cut.
 The closer a cut is to a half tile, the easier it is to make.
- If you are starting at ground level, you cannot guarantee the floor is level. Attach a level batten and work from this to achieve a balanced design. When tiling off a bath or shower tray rim, check first that the edges are level, but these are normally suitable potential starting points for tile rows.
- When you measure the dimensions of a design, remember to allow for grout gaps. For wall tiling, these are normally 2-3mm.

- Plastered wall surfaces will support tile weights up to around 20Kg/sq.m. Therefore, rendered or cement board wall surfaces, which support tile weights of around 40Kg/sq.m, are more suitable for large (heavy) format tiles. Adhesive weight must also be included in your square metre calculations.
- All photographs depicted in this brochure should only be used as an approximate guide in terms of finished appearance.
- Viewing actual samples or products in-situ is highly recommended prior to order placement.
- All tiles should be graded upon receipt to ensure they blend harmoniously within the overall design scheme adopted.
- They should also be graded in terms of size and thickness, as all dimensions listed are nominal and small variations can occur. The thickest tiles should be installed first to establish the required finished floor level, thereby allowing thinner tiles to be bedded up with adhesive.
- Please note that some products may arrive damp, which often changes the appearance of the stone by making tiles look darker.
- It is essential that tiles are completely dry prior to installation so that any colour variations can be assessed.
- A 10% allowance for wastage that can occur in transportation, site handling and cutting should be made at the time of order.
- Materials should be inspected and unpacked carefully, then cleaned prior to fixing as they may feature a residue from the production process.
- All natural stone tiles are to some extent porous and sealing them with an appropriate product is highly recommended in order to make maintenance and routine cleaning much easier. Please consult sealant Manufacturer for advice.

PATTERN GUIDELINES




GRAND OPUS

A 871 x 580mm B 580 x 580mm C 580 x 288mm D 288 x 288mm

OPUS

A 600 x 400mm B 400 x 400mm C 400 x 200mm D 200 x 200mm



RANDOM LENGTHS PATTERN

400mm x Random Lengths 500mm x Random Lengths 560mm x Random Lengths 600mm x Random Lengths

Pattern can be used for set square tile for example 600×600 , 600×400 mm

YOU SHOULD KNOW

All photographs depicted in this brochure should only be used as an approximate guide in terms of finished appearance. Viewing actual samples or products in-situ is highly recommended prior to order placement.

A laying format for tiles, where the width of the stone is static i.e. 400mm or 600mm and the lengths of the tiles vary randomly or are a mix of a minimum of two different lengths, offering a look which is reminiscent of traditional stone floors. Please see Stone Layouts for available stones.

THE TOTAL PROPERTY OF THE PARTY OF THE PARTY

STRATA INTERIORS

ESSENTIAL ACCESSORIES

A range of adhesives, gouts, and sealants to help with the installation of your natural stone and available for dispatch with your delivery.

PRO RAPID SET ADHESIVE

Professional Rapid Set Flex is a specially formulated, flexible, non-slip, fast setting, cement based adhesive for natural stone. It is suitable for beds of 3–12mm, interior, exterior, floor and wall applications.

- SUITABLE FOR USE WITH ALL NATURAL STONE AND PORCELAIN BACKED
 TILES
- FOR USE IN INTERIOR FLOOR AND WALL APPLICATION
- RAPID SET ALLOWING GROUTING AFTER 3 HOURS
- WHITE IN COLOUR







The range of sealants we have selected is specifically designed to be easily applied

and to enhance the natural colours and patterning of natural stone.



CARE & MAINTENANCE OF YOUR STONE PART 1

COLOURFAST TILE GROUT

Larsen Professional stain resistant wide jointing compound is a specially formulated, flexible, rapid setting tile grout for natural stone. This advanced formulation uses Colourfast Technology to ensure uniform joint colour, free from efflorescence, which is suitable for use as a flexible wall and floor grout.

- JOINT WIDTH 2-20 mm
- FLEXIBLE
- STAIN RESISTANT
- MOULD RESISTANT
- WATER RESISTANT
- EASY TO APPLY
- FAST SET

Packaging: 10kg Standard Colours: Ivory / beige / grey

Refer to data sheets available through our customer service department on coverage which is dependent upon grout width and depth.



STONETECT STONE SEALANTS

Stonetect' (R), provides a highly effective protective barrier against water and oil based staining, staining and attack from almost all food and drink and garden debris, [and increases wear resistance], helping your stone to always look great, and simplifies general cleaning and maintenance.

The Stonetect product soaks deeply into the stone, minimising the penetration of water and all other common liquids, resisting staining from most domestic spillages and garden debris, giving years of protection and easy maintenance from the one initial application.

YOU SHOULD KNOW

When no enhancement of natural colour and character is required, the product SwiftSeal Ultra gives good resistance to water and oil based staining and facilitates cleaning: it requires reapplication at regular but infrequent intervals.

Refer to Strata customer service for more information.

CARE & MAINTENANCE OF YOUR STONE PART 2

The matrix below gives an indication of the enhancement to the colour likely with each stone type, but given the unique markings and character of each stone in our portfolio we recommend that a sample is always prepared first before installation.



HERITAGE

MOORSIDE

CASTLE



BALKAN BLACK

CAWDOR NOIR



AVANTGARDE









DUNE HONED

SILVER GALACTICA BRUSHED

ALWICK

GALAXY

COSMOPOLITAN











93

TAUPE E GRIGIO HONED / POLISHED

OYSTER SHELL HONED / POLISHED

ORBETELLO HONED / POLISHED

CREMAG HONED / POLISHED

CARRARA HONED / POLISHED



HONED/POLISHED





HONED / POLISHED



NERO MARQUINA

MADE TO ORDER SERVICE

Our unique knowledge and understanding of the material we work with allows us to offer our clients a total customised solution for shaping natural






WHAT YOU NEED TO DO Choose your stone, the pattern, the texture, the shape of design you want.

We will price the concept and give you a lead time as to when this will be ready.

specific unique shapes and thicknesses such as for swimming pools or specialist



of how simple walling veneers as seen in our walling and cladding section can be developed to include any type of 3D shapes and patterns. Strata Motifs are example of this to inspire and provoke the imagination.









CUSTOMER SERVICES

All our interior natural stone products are stocked and stored at our 1.5 acre site dedicated to interior natural stone products at Ipswich.

Our customers can order any quantity of the stones that we stock and distribute throughout the UK and Europe from our Ipswich Distribution Centre.





STRATA STONES

Raeburn Road South Ipswich Suffolk IP3 0ET

t: +44 (0)1473 917 345 e: sales@stratastones.co.uk

stratastones.co.uk

DELIVERY

Customers will be contacted to arrange a specific date for delivery.

Most deliveries take place between the hours of 9.00am and 5.00pm Monday – Friday, except Bank Holidays.

Orders are packed in either wooden crates or on pallets.

It is important to notify Strata Stones at the time of order of any restrictions that may exist relating to site access.

Deliveries will be placed, at the driver's discretion, at the nearest safe point to the property/site, which may be on a drive or kerb.

Drivers are not insured to help offload deliveries by hand, so it is essential for the customer to arrange for a responsible individual/s to be present.

All orders must be examined on delivery. In the rare event of any shortages, damages or other discrepancies, these must be noted on the delivery note and reported within 24 hours.

Photographic evidence will be required of the material within the crate to substantiate any claim.

Care should be taking when unpacking all stone tiles, as spacers may need to be removed from the packaging before the tiles are removed.

Tiles should always be stacked and stored vertically (on back edge) and not on a hard surface as this can cause unnecessary chipping.

